

Technical Instruction Sheet

page 1 of 1

- Characteristics:** AKEMI® Stone Cleaner is an acid-free, highly concentrated cleaner made of non-ionic surfactants, auxiliary materials, odoriferous substances and solvents. The product is free from phosphates and bases; the surfactants contained are biodegradable in correspondence with the legal regulations for surfactants.
- Field of Application:** AKEMI® Stone Cleaner is suited for a rapid and thorough removal of building material, wax and self-brilliant layers, thin concrete layers, oil and fat, soot, rubber and tar spots as well as residuals of synthetic colours and synthetic plastering on all natural and cast stones, e.g. marble, travertine, slate, granite, bricks and cotto slabs, tiles, fair-faced concrete and similar materials.
- Instructions for Use:**
1. Dilute with water in the ratio of 1:1 to 1:500 and apply to stone surface.
 2. Allow the cleaner to work for 10-20 minutes.
 3. For deep staining scrub with a brush or nylon pad.
 4. Rinse thoroughly with water.
- Special Hints:**
- Do not apply on synthetic materials which are not resistant to solvents or rubber. If in doubt, test on an inconspicuous area.
 - The product is registered at the Federal Environmental Protection Agency under the number 1257 0010.
- Safety Measures:** see EC Safety Data Sheet
- Technical Data:**
- | | |
|-------------|---|
| Coverage: | approx. 10-20 m ² /litre (if applied purely) |
| Colour: | colourless to yellowish |
| Density: | approx. 1.01 g/cm ³ |
| pH-value: | approx. 10 (if concentrated) |
| Shelf life: | 3 years approx. if stored in cool place free from frost in its tightly closed original container. |
- Notice:** The above information is based on the latest stage of our development and application technology. Due to a multiplicity of different influencing factors, this information – as well as other oral or written technical advises – must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trails of the product, in an inconspicuous area or fabrication of a sample piece.

TIS 04.04